



General Settings View (key)

General Settings	
Entry Logic	<input type="checkbox"/> ALG
Operation Priority	OFF <input type="checkbox"/>
Number Format	◀ FIX ▶
Decimal Separator	<input checked="" type="checkbox"/> • <input type="checkbox"/>
N° of Decimals	◀ 2 ▶
Date Format	M.DY <input type="checkbox"/>
Angle Mode	◀ RAD ▶
Disable Auto-Lock	OFF <input type="checkbox"/>
Highlight Shift FN's	<input type="checkbox"/> ON
Scientific FN's	◀ --- ▶
Click Sound	<input type="checkbox"/> ON
Click Volume	◀ 9 ▶
Effects Sound	<input type="checkbox"/> ON
Effects Volume	◀ 5 ▶
Display Brightness	◀ 9 ▶

Entry Logic	Select entry mode between the ALG mode and RPN mode.
Operation Priority	Set operation precedence ON or OFF. When ON the priority is “^”, “x” or “÷” and “+” or “-”.
Number Format	Select the number format: FIX, SCI, ENG or ALL
Decimal Separator	Set comma or point for decimal separator and thousands separator.
N° of Decimals	Set the number of digits to show after the decimal point from 0 to 9.
Date Format	Select the dates entry format to "M.DY" (MM.DDYYYY) or "D.MY" (DD.MMYYYYY).
Angle Mode	Select angle units to RAD (Radians), DEG (Degrees) or GRAD (Gradians).
Disable Auto-Lock	Set to “ON” to prevent the device to sleep when the RLM-19BII is running in front.
Highlight Shift FN’s	Toggle to highlight or not keyboard alternate functions when the Shift key is pressed.
Scientific FN’s	Select MATH menu functions to show as Shift functions in keys “1” to “9”.
Click Sound	Enable or disable the key-click sound feedback when any button is touched.
Click Volume	Adjust the key-click volume level (the volume is relative to the device level).

Effects Sound	Enable or disable the sound effects feedback when some actions are performed.
Effects Volume	Adjust the sound effects volume level (the volume is relative to the device level).
Display Brightness	Adjust the display brightness from 1 to 9.
	Set the default factory settings.
	Save the current settings and close the view.